



Escort Dynamic Technologies

ESCORT DYNAMIC

Nickel-chromium-molybdenum steel Barrel / Receiver module is hard black chrome lined on its outer surface and hard white chrome lined on its inner surface for maximum durability for any kind of shotshells including steel or tungsten shot and provides maximum resistance against corrosion.





DynaComb is made of special elastic material. It provides superior reduction in felt recoil on cheek and increases shooting comfort.



DaSoft Finish Technology applied to the stock provides scuff resistance, improves durability, and protects against UV damage.

DaSoft Finish Technology offers the user a soft, ergonomically comfortable shooting experience.



Its unique 2-piece modular design makes the Escort Dynamic shotgun one of the world's fastest disassembled and reassembled in

Bolt is made of nickel-chromium-molybdenum steel

and is hard chrome lined for longer life, less friction and maximum resistance against corrosion.



Stock / Trigger group module

Dynamic Hard Case

Exclusively designed for the Dynamic semi-auto shotgur Compactly stores disassembled Dynamic shotgun, 2 barrel / receiver modules, extra chokes, sights and othe accessories. Sold Separately.

DynaPad



ventilation hole design provides superior recoil absorption and shooting comfort.DynaPad comes with 3 stock spacers (each 5mm width) to extend stock length of pull.


















- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) system semi auto shotgun.
- 2-Piece modular system. Stock / Trigger group module & Barrel / Receiver module.
- 2-Piece Modular design makes Escort Dynamic shotgun the world's fastest and easiest to assemble and disassemble. The assembly or disassembly is done in a few seconds!
- Single piece stock-forend with shock absorber and flexible DynaComb cheek piece.
- DynaComb is made of special elastic material. It provides superior reduction in felt recoil on cheek and increases shooting comfort.
- DaSoft® finish on stock providing durability and soft touch feel
- Steel receiver with 11mm groove for scope mounts.
- DynaPad® recoil pad system for maximum recoil absorption.
- 3 stock spacers (each 5mm width) to extend stock length of pull.

- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Detachable sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Dynamic	12 GA (Kinetic System)	3 " - 76mm Magnum	Synthetic	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	50" / 127cm	6.9lbs / 3.15kg
Escort Dynamic-SLG	12 GA (Kinetic System)	3 " - 76mm Magnum	Synthetic	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	7mm	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	46" / 117cm	6.6lbs / 3.01kg



TO SEE THE PARTY OF THE PARTY O

Escort Dynamic RealTree MAX4HD

Escort Dynamic DZ

DZ color stock version







- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) system semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 ¾" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm

- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Gold plated trigger
- Detachable sling swivels.

Model	Stock	Millimeters (mm)	Inches
	Length of Pull	365	14 3/8
Escort Dynova	Drop at Comb	30	1 1/6
	Drop at Heel	50	2






N	Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Esco	ort Dynova	12 GA (Kinetic System)	3 " - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	7.2lbs / 3.25kg
Escort	Dynova-SLG	12 GA (Kinetic System)	3 " - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	7mm	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	45" / 115cm	6.6lbs / 3kg

Escort Dynova SYN



Hatsan RV12



- DynaPad® recoil pad system for maximum recoil absorption.
- Synthetic stock and fore-end with checkering.
- Elevation adjustable cheek piece

ENCORT ...

- Rubber butt pad for recoil absorption
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
 - Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm
- Checkered & ventilated anti-glare rib.
- Fiber optic front sight
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Dynova SYN	12 GA (Kinetic System)	3 " - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	6.8lbs / 3.1kg
cort Dynova SYN-SLG	12 GA (Kinetic System)	3 " - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	7mm	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	45" / 115cm	6.4lbs / 2.9kg



Millimeters (mm) Inches

14 3/8

Length of Pull

Drop at Comb

Drop at Heel

Hatsan RV12

• 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) semi auto

- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption

Stock Millimeters (mm) Inches

Length of Pull

Drop at Comb

Drop at Heel

Escort

- Black anodized air craft alloy receiver with 11mm groove for scope
- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
 - Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- · Sling swivels.



Barrel Length Barrel Rib Chokes Sight Overall Length Average Weight Stock & Forend | Recoil Pad Fiber optic 49" / 125cm Black anodised air craft | Black chrome finished Hatsan RV12 | 12 GA (Kinetic System) | 3 " - 76mm Magnum | Turkish walnut 28" / 71cm 7mm F, IM, M, IC, CYL Manual cross button 7lbs / 3.15kg Ni-Cr-Mo steel



Escort SupremeMAX & Escort XtremeMAX Features

3½" - 89mm Double Magnum



Stock Length of Pull Spacers

Three stock length of pull spacers that fit between stock and recoil pad are standard. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can

The receivers are made of aluminum alloy (Ergal) The bolts of all Escorts are material which is very light in weight but very made of nickel-chromiumresistant against high pressures. The black anodize plating on the receiver not only gives extra durability hard chrome plated for longer chamber which can handle finish receivers are available.

corrosion resistance.

molybdenum steel and are 3 1/2" - 89mm double magnum

The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shot; and provides maximum corrosion resistance, besides it is easier to clean.

Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.

Escort Choke Tubes

All Escort shotguns (except for barrels) come with 5 mobile chokes: Ful (F), Improved Modified (IM), Modified (M) Improved Cylinder (IC) and Cylinder (CYL). Extra full choke is available upon request. M. IC and CYL choke tubes are good for steel

Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)






Magazine Cut-Off

By pressing this button, you can retain shells in the magazine and can eject a shell from the chamber without feeding another one from the




piston is specially designed

for 3 1/2" (89mm) chamber Escort SupremeMAX and Escort XtremeMAX. The SmartMAX piston automatically adjusts the exact & reliable gas pressure needed for a wide range of loads from 7/8 oz (24gr) shot load to heavy 2 3/8 oz (66gr) load double magnum shells. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases barrel rise and faster swing on targets.



are used to operate the action. Escort's patented SmartMAX When firing heaviest magnum & double magnum shells; excess gas pressure opens the When firing light loads; almost all of the gas pressure is used to operate the piston automatically self adjusts this reliably even if you mix front valve of the SmartMAX piston and excessive gas pressure is exhausted. SmartMAX action and only a small portion is exhausted. Because the gas pressure is different size & weight shot shells in the magazine and allows piston automatically self adjusts the necessary gas pressure needed to operate the action relatively smaller in light loads, the gas pressure cannot open the front valve the shooter to fire any 12 gauge load in seconds. Also, thanks and the excess gases exhaust upwards from the sides of the forend. As the majority of the SmartMAX piston. Hence only a small portion is exhausted and the to the SmartMAX Piston, most of the recoil is eliminated before of the excess gas pressure is absorbed due to SmartMAX Piston, most of the recoil majority is used to operate the action. it reaches your shoulder giving shooting conformance, reduced is eliminated before reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.





Stock Drop & Cast Adjustment Shims

3 stock cast shims and 1 stock drop shim. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims between the receiver and stock.











Escort Fast Loading System enables faster and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading System rovides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks the bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.


Raised rib

Hiviz Spark front sight



High grade Turkish walnut stock in glossy finish





- Hunting purpose 12 gauge, 3 ½" 89mm double magnum chamber, gas operated semi auto shotgun
- Fast Loading System & SmartMAX Piston
- Glossy finish high class Turkish walnut stock and fore-end with checkering
- Glossy finish receiver & barrel
- Black anodized aircraft alloy receiver with 11mm groove for scope mounts

ESCORT SupremeMAX

- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull
- Gold plated metal trigger.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1.
- Accessory migratory plug decreases capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort SupremeMAX	12 GA (Gas Operated)	3″½ - 89mm Double Magnum	High grade Turkish walnut	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	7.7lbs / 3.5kg
Escort SupremeMAX-SLG	12 GA (Gas Operated)	3″½ - 89mm Double Magnum	High grade Turkish walnut	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7.2lbs / 3.3kg



Length of Pull

Drop at Heel

Escort SupremeMAX | Drop at Comb


Raised rib Hiviz Spark front sight





Soft rubber inlays for better control & feel


Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)











• Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 ¾" - 70mm, 3" - 76mm & 3 ½" - 89mm shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.

- Hunting purpose 12 gauge, 3 ½" 89mm double magnum chamber, gas operated semi auto shotgun
- Fast Loading System & SmartMAX Piston
- Glossy finish receiver & barrel
- Black anodized aircraft alloy receiver 11mm groove for scope mounts
- Black synthetic stock with rubber inlays for better control & feel
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm

- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL)
- Magazine capacity: 4+1 rounds
- Accessory magazine extension tube increases capacity to 7+1
- Accessory migratory plug decreases capacity to 2+1
- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

N. TVI	
	Escort XtremeMAX - Realtree Max4HD
	60
	Escort XtremeMAX-Realtree APHD

Soft touch finish



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort XtremeMAX	12 GA (Gas Operated)	3" ½ - 89mm Double Magnum	Synthetic	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	7.5lbs / 3.4kg
Escort XtremeMAX-SLG	12 GA (Gas Operated)	3″ ½ - 89mm Double Magnum	Synthetic	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7lbs / 3.2kg

Length of Pull

Escort XtremeMAX | Drop at Comb









Stock Length of Pull Spacers



Escort Supreme, Escort Xtreme and other wood stock Escort shotguns come with three stock length of pull spacers that fit between stock and recoil pad. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the stock length of pull which provides him an easier shouldering of the shotgun, faster swing on targets and less felt recoil.

On all other synthetic stock Escorts; Small, Medium and Large size recoil pads are available as an option. Medium size recoil pad comes on

The receivers of all Escorts are made of aluminum alloy (Ergal) material which is very light in weight but very resistant against high pressures. The black anodize plating on the receiver not only gives extra durability but also provides a life-time coating. Glossy or matt finish receivers are available.

> ESCORT MAGNUM

SUPREME

The bolts of all Escorts are made of nickel-chromium-molybdenum steel and are hard chrome plated for longer life, less friction and maximum corrosion resistance.

The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shots; and provides maximum corrosion resistance, besides it is easier to clean.

Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.

Escort Choke Tubes

All Escort shotguns (except for sluc barrels) come with 5 mobile chokes Full (F), Improved Modified (IM) Modified (M), Improved Cylinder (IC) and Cylinder (CYL). Extra full choke is available upon request. M, IC and CYL choke tubes are good for steel shots.



the shotgun as standard which provides 36cm (14 1/5") stock length of pull . This can be shortened by 5mm (1/5") and extended by 5mm (1/5") when Small & Large size recoil pad is fitted respectively.

Magazine Cut-Off

in the magazine and can eject a shell from the chamber without feeding another one from the


By pressing this button, you can retain shells

Escort Fast Loading System Escort Fast Loading System enables fast-

needed for a wide range of loads from 7/8 oz (24gr) shot loads to heavy 2 oz (57gr) magnum loads. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases are used to operate the action. Escort's patented Smart Valve Piston automatically self adjusts this reliably even if you mix different size & weight shot shells in the magazine and Escort shoots them all. Also, thanks to the Smart Valve Piston, most of the recoil is eliminated before it reaches your shoulder giving shooting conformance, reduced barrel lift and faster swing on targets. Smart Valve Piston is standard on all Escort semi auto shotguns.



When firing heaviest magnum & double magnum shells; excess gas pressure opens the When firing light loads; almost all of the gas pressure is used to operate Smart Valve Piston and compresses the leaf spring. Smart Valve Piston automatically the action and only a small portion is exhausted. Because the gas pressure self adjusts the necessary gas pressure needed to operate the action and the excess is relatively smaller in light loads, the gas pressure cannot open much the gases exhaust upwards from the sides of the forend. As the majority of the excess gas Smart Valve Piston and cannot compress the leaf spring. Hence only a small pressure is absorbed thanks to Smart Valve Piston, most of the recoil is eliminated beportion is exhausted and majority is used to operate the action. fore reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.





Stock Drop & Cast Adjustment Shims

Each Escort shotgun comes with 3 stock cast shims and 1 stock drop shim. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims



STOCK DROP SPACERS | STOK CAST SPACERS







er and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading System provides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.

Escort Supreme

Hiviz Spark front sight Raised rib



 Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
Fast Loading System & Smart Valve Piston.


- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted.
 Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
	Length of Pull	365	14 3/8
Escort Supreme	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

	Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
	Escort Supreme	12 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	6.8lbs / 3.1kg
	Escort Supreme 20	20 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	6.4lbs / 2.9kg
4	Escort Supreme-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.4lbs / 2.9kg
	Escort Supreme-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	5.9lbs / 2.7kg







Hiviz Spark front sight Raised rib



Soft rubber inlays for better control & feel

REALTREE

7mm

Manual

Barrel Length | Barrel Rib

24" / 61cm

28" / 71cm

Escort Xtreme-Realtree Max4HD

Black anodised air craft allov

Black anodised air craft allov

Black anodised air craft alloy

Black anodised air craft alloy

Escort Xtreme-Realtree APHD

Barrel

Black chrome finished

Ni-Cr-Mo steel

Black chrome finished

Ni-Cr-Mo steel

Black chrome finished

Ni-Cr-Mo steel

Black chrome finished

Model	Stock	Millimeters (mm)	Inches
	Length of Pull	365	14 3/8
Escort Xtreme	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Fiber optic rear

& front sight

44" / 111cm

6.2lbs / 2.8kg


- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (Also available in 20 gauge).
- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Black synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





18"/46cm, 20"/51cm, 22"/55cm barrels are available.





Escort Xtreme

Escort Xtreme-SLG

Escort Xtreme 20

Chamber

Magnum

Magnum

3 " - 76mm

Magnum

2 GA (Gas Operated)

12 GA (Gas Operated)

20 GA (Gas Operated)

Escort Xtreme-SLG 20 20 GA (Gas Operated)

Stock & Forend | Recoil Pad

Rubber

Synthetic

Escort Missione





Comes with steel shot suitable extended inner chokes.

- Hunting purpose 12 gauge or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun
- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- White anodized air craft alloy receiver with engraving and 11mm groove for scope mounts.
- Walnut camo synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Missione	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic-Walnut Camo	Rubber	White anodised air craft alloy with engraving	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	7lbs / 3.2kg
Escort Missione 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic-Walnut Camo	Rubber	White anodised air craft alloy with engraving	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	6.6lbs / 3kg

Escort Luxano & Escort Trio

Escort Luxano

High grade Turkish walnut stock & fore-end with oil polish



Drop at Comb

Drop at Heel

• Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (also available in 3 ½"/89mm double magnum chamber).

- Fast Loading System & Smart Valve Piston.
- High class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to extend stock length of pull.
- Black & white anodized air craft alloy receiver with relief engraving & 11mm groove for scope
- 1 5/8 Gold plated metal trigger.
 - Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- These measurements are with no TRIOPAD® Stock Spacers mounted. Stock Length Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molvbdenum steel. of Pull can be extended with increments of 5mm (1/2") when TRIOPAD® Stock
 All barrels are Proof Tested.
 - Spacers are mounted on the butt. Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.





- Checkered & ventilated anti-glare raised rib with Hiviz Spark front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Magazine cut-off system for single shot.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



Escort Trio



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Luxano	12 GA (Gas Operated)	3" / 76mm Magnum	High class Turkish walnut	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	7lbs / 3.2kg
Escort Luxano 20	20 GA (Gas Operated)	3" / 76mm Magnum	High class Turkish walnut	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	5.9lbs / 2.7kg
Escort Trio	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	7.3lbs / 3.3kg
Escort Trio 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Hiviz Spark	48" / 122cm	6.2lbs / 2.8kg

Escort AS

Stock Millimeters (mm) Inches

63,5

1 5/8

2 1/2

Length of Pull

Drop at Comb

Drop at Heel



- Fast Loading System & Smart Valve Piston.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort AS	12 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.8lbs / 3.1kg
Escort AS-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.4lbs / 2.9kg
Escort AS-DM	12 GA (Gas Operated)	3 ½" / 89mm Double Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
Escort AS 20	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.4lbs / 2.9kg
Escort AS Youth	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	41" / 104cm	5.9lbs / 2.7kg
Escort AS-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.2lbs / 2.8kg

Stock Millimeters (mm) Inches

63,5

1 5/8

2 1/2

Length of Pull

Drop at Heel

Escort AS Youth | Drop at Comb



Length of Pull

Drop at Heel

Escort PS Drop at Comb



- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.

 All barrels are Proof Tested.
- 2 1/2

 Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



	Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
	Escort PS	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
	Escort PS 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.2lbs / 2.8kg
4	Escort PS-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.6lbs / 3.0kg
	Escort PS-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	5.9lbs / 2.7kg







- (also available in 3 ½"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts.
- Fiber optic adjustable rear sight and front sight.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24qr) shot load to heavy 2 oz (57gr) load magnum shells.
- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotqun
 Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molvbdenum steel. All barrels are Proof Tested.
 - Magazine capacity: 4+1 rounds.
 - Accessory magazine extension tube increasing capacity to 7+1.
 - Accessory migratory plug decreasing capacity to 2+1.
 - Comes with 4 stock shims to adjust stock drop and cast.
 - Magazine cut-off system for single shot.
 - Manual cross-button trigger safety.
 - Sling swivels.





Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Slug Auto	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.6lbs / 3.0kg
Escort Slug Auto 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.2lbs / 2.8kg

Escort Slug Auto Combo





- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun. (also available in 3 ½"/89mm double magnum chamber)
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts and 26"/66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22"/55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast. Magazine cut-off system for single shot.
- Manual cross-button trigger safety.









Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Sight	Magazine Capacity	Overall Length	Safety	Average Weigh
Feent Clue Auto Combo	12 GA	3" / 76mm	Cunthatia	Rubber	Black anodised	Black chrome finished	22" / 55cm	no rib	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual	C Clha / 2 Oka
Escort Slug Auto Combo	(Gas Operated)	Magnum	Synthetic	Kubber	air craft alloy	Ni-Cr-Mo steel	26" / 66cm	7mm	F, IM, M, IC, CYL	Hiviz Spark	4+1	46" / 117cm	cross button	6.6lbs / 3.0kg
Escort Slug Auto Combo 20	20 GA	3" / 76mm	Cunthatic	Rubber	Black anodised	Black chrome finished	22" / 55cm	no rib	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual	6.2lbs / 2.8kg
ESCOIL SIUG AUTO COITIDO 20	(Gas Operated)	Magnum	Synthetic	Nubbei	air craft alloy	Ni-Cr-Mo steel	26" / 66cm	7mm	F, IM, M, IC, CYL	Hiviz Spark	4+1	46" / 117cm	cross button	0.2IDS / 2.0Kg

Drop at Comb

Millimeters (mm) Inches

63,5

2 1/2



Escort PS - Double Magnum



- Hunting purpose 12 gauge, 3 ½"/89mm double magnum chamber, gas operated semi auto
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.

Length of Pull

Drop at Comb

Drop at Heel

Escort PS-Double Magnum

- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
 Capability of firing loads from 1 1/8oz (32gr) to 2 3/8oz (66gr) double magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
 - Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

K SUCH	nn s	
		Escort PS Marine DM Marine finish version

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort PS-Double Magnum	12 GA (Gas Operated)	3 ½"/89mm double magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7.3lbs / 3.3kg



Escort FieldHunter

Length of Pull

Drop at Heel

63,5

Escort FieldHunter | Drop at Comb



- Black synthetic stock & fore-end with checkering. Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
 Capability of firing both 3"/76mm and 2 ¾"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 - Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort FieldHunter	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.8lbs / 3.1kg
Escort FieldHunter 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.3lbs / 2.85kg
Escort FieldHunter-SLG	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.3lbs / 2.85kg
Escort FieldHunter-SLG 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.2lbs / 2.8kg



















- Stock Millimeters (mm) Inches Fiber optic adjustable rear sight and front sight. Drop at Comb
- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun. • 22"/55cm slug barrel with welded cantilever for 22 m scope mounts.
- - Black synthetic stock & fore-end with checkering.
 - Long fore-end providing faster and shorter action.
 - 1 5/8 Rubber butt pad for recoil absorption.
 - Black anodized air craft alloy receiver.
 - Capability of firing both 3"/76mm and 2 3/4"/70mm shells.

- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.





Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Slug Pump	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.6lbs / 3.0kg
Escort Slug Pump 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.2lbs / 2.8kg

Escort Slug Pump Combo



One package for both deer & bird hunting. Comes with an additional 26"/66cm raised rib barrel with Hiviz Spark front sight fitted.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts and 26"/66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22"/55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.

• Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

The additional barrel is available in 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm length.

- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.







Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Sight	Magazine Capacity	Overall Length	Safety	Average Weight
Feedyt Clus Dump Combo	12 GA	3" / 76mm	Synthetic	Rubber	Black anodised	Black chrome finished	22" / 55cm	no rib	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross	6.6lbs / 3.0kg
Escort Slug Pump Combo	12 GA	Magnum	Synthetic	Kubbei	air craft alloy	Ni-Cr-Mo steel	26" / 66cm	7mm	F, IM, M, IC, CYL	Hiviz Spark	4+1	46" / 117cm	button	6.6IDS / 3.UKg
Escort Slug Pump Combo 20	20.04	3" / 76mm	Synthetic	Rubber	Black anodised	Black chrome finished	22" / 55cm	no rib	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross	6.2lbs / 2.8kg
scort slug Pump Combo 20	20 GA	Magnum	Synthetic	Kubbei	air craft alloy	Ni-Cr-Mo steel	26" / 66cm	7mm	F, IM, M, IC, CYL	Hiviz Spark	4+1	46" / 117cm	button	6.2IDS / 2.8Kg



Model Stock Millimeters (mm) Inches

Length of Pull

Drop at Heel

Escort WS Drop at Comb

• Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.

Turkish walnut stock and fore-end with checkering.

Long fore-end providing faster and shorter action.

 Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull. Black anodized air craft alloy receiver with 11mm groove for scope mounts.

• Capability of firing both 3"/76mm and 2 3/4"/70mm shells.

 Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 Manual cross-button trigger safety. All barrels are Proof Tested.

• Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Sling swivels.



24"/61cm slug barrel with fiber optic adjustable rear sight & adjustable fiber optic front sight fitted version. 18"/46cm, 20"/51cm, 22"/55cm barrels are available.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort WS	12 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7.5lbs / 3.4kg
Escort WS-SLG	12 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7lbs / 3.2kg
Escort WS 20	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
Escort WS-SLG 20	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	no rib	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.6lbs / 3.0kg
Escort WS-Youth	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	no rib	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	41" / 103cm	6.41lbs / 2.9kg

Escort WS-Guard

• Security & law enforcement purpose 12 or 20 gauge, 3" / 76mm magnum

Length of Pull Escort WS-Guard | Drop at Comb Drop at Heel

- chamber pump action shotgun.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
 Fixed cylinder choke for shot or slugs.
- Turkish walnut stock and fore-end with checkering.
- Long fore-end providing faster and shorter action.
 - Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption.

- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 7+1 rounds in 20"/51cm barrel, 5+1 in 18"/46cm barrels.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Magazine Capacity	Sight	Overall Length	Safety	Average Weight
Escort WS-Guard	12.04	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised	Black chrome finished	18" / 46cm	no rib	Fixed Cylinder	5+1	Fiber optic front sight	38" / 96cm	Manual cross button	7lbs / 3.2kg
ESCOIL WS-GUAIG	12 GA	3 / /omm wagnum	Turkish wainut	Kubbei	air craft alloy	Ni-Cr-Mo steel	20" / 51cm	no rib	Fixed Cylinder	7+1	Fiber optic front sight	40" / 100cm	Manual cross button	/IDS / 3.2Kg
Eccort W.S. Cuard 20	20.04	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised	Black chrome finished	18" / 46cm	no rib	Fixed Cylinder	5+1	Fiber optic front sight	38" / 96cm	Manual cross button	6.6lbs / 3.0kg
ESCUIT NAS-GRIGITA SO	20 GA	3 / / Willill Magnum	Turkisii Walfiul	vannei	air craft alloy	Ni-Cr-Mo steel	20" / 51cm	no rib	Fixed Cylinder	7+1	Fiber optic front sight	40" / 100cm	ivianuai CrOSS DULLON	0.0IDS / 3.0Kg



Fiber Optic Front Sight is included

Escort AimGuard



- Security & law enforcement purpose 12 or 20 gauge, 3" / 76mm magnum chamber pump action shotgun. Spacer shims to adjust the slope of the stock for a perfect fit.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Aircraft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.

- Ergonomic design long forearm for fast and easy loading.
- Rubber butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Accessory pistol grip comes in its box at no additional cost (12 gauge models only).
- Folding stock is available at a reasonable cost (12 gauge models only).
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight	
Escort AimGuard	12 GA	3" / 76mm	Synthetic	Rubber	Black anodised air	Black chrome finished	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic	Manual	6.4lbs / 2.9kg	
ESCOIT AllIIGUAIU	12 GA	Magnum	Synthetic	Kubbei	craft alloy	Ni=(r=Mo steel		40" / 100cm	7+1	Fixed Cylinder	front sight	cross button	0.4IDS / 2.9Kg	
Escort AimGuard 20	20 GA	3" / 76mm	Synthetic	Rubber	Black anodised air	Black chrome finished	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic	Manual	5.5lbs / 2.5ka	
ESCOIT AIIIIGUAIU 20	20 GA	Magnum	Synthetic	Kubbei	craft alloy	Ni-Cr-Mo steel	20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	front sight	cross button	3.3IDS / 2.3KY	



Escort	MarineGuard
	Marine finish version

Escort shell holder stock is available as a option	

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Facout Marina Cuard	12.64	3" / 76mm	Cunthatia	Dubbar	White nickel finish air	White nickel finished	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic	Manual	6 4lbs / 2 0ks
Escort MarineGuard	12 GA	Magnum	Synthetic	Rubber	craft alloy	Ni-Cr-Mo steel	20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	front sight	cross button	6.4lbs / 2.9kg
Fesset Marine Cuard 20	20.64	3" / 76mm	Cumthatia	Dubbar	White nickel	White nickel finished Ni-Cr-Mo steel	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic	Manual	E Elles / 2 Elses
Escort MarineGuard 20	20 GA	Magnum	Synthetic	Rubber	finish air craft allov		20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	front sight	cross button	5.5lbs / 2.5kg



Escort PS Guard



- Security & law enforcement purpose 12 or 20 gauge, 3"/76mm chamber, gas operated semi auto shotgun Patented "Smart Valve Piston" & "Fast Loading System"
- Magazine cut-off system for single shot.
- Fast Loading System & Smart Valve Piston.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Tough black matte finish.
- Air craft allov receiver.
- Advanced polymer compound synthetic stock for strength and durability.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Averag Weigh
Escort PS Guard	12 GA	3"/76mm	Cunthatic	Rubber	Black anodised	Black chrome finished	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic	Manual cross	6.6lbs/3
ESCUIL F3 Gudiu	(gas operated)	Magnum	Synthetic	Kubber	air craft alloy	Ni-Cr-Mo steel	20" /51cm	40"/100cm	7+1	Fixed Cylinder	front sight	button	0.0105/3
Escort PS Guard 20	20 GA	3"/76mm	Cumthatia	Rubber	Black anodised	Black chrome finished	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic	Manual cross	5.7lbs/2.0
ESCOIL PS GUAIU 20	(gas operated)	Magnum	Synthetic	Kubber	air craft alloy	Ni-Cr-Mo steel	20"/51cm	40"/100cm	7+1	Fixed Cylinder	front sight	button	5./105/2.0
		'' N											







Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort PS	12 GA	3"/76mm	Synthetic	Rubber	White nickel finish	White nickel finished	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic	Manual cross	6.6lbs/3kg
MarineGuard	(gas operated)	Magnum	Synthetic	Kubbei	air craft alloy	Ni-Cr-Mo steel	20"/51cm	40"/100cm	7+1	Fixed Cylinder	front sight	button	0.0lbs/3kg
Escort PS	20 GA	3"/76mm	Cunthatia	Dubbar	White nickel finish	Writte nicker imistied	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic	Manual cross	F 71ha/2 Class
MarineGuard 20	(gas operated)	Magnum	Synthetic	Rubber	air craft alloy		20"/51cm	40"/100cm	7+1	Fixed Cylinder	front sight	button	5.7lbs/2.6kg



Accessories & Options



Escort Inner Chokes

Escort Inner Choke Tubes for 12-gauge and 20-gauge are available in Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).



Escort Extended Inner Chokes

Escort Extended Inner choke tubes for 12 gauge are available Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).



Extra Full Extended Extra Full Choke is available in 12 and 20



Magazine **Extension Tube** 7+1 rounds from 4+1.



Migratory Magazine Plug 2+1 rounds from 4+1.

Escort Recoil Pads

Small, Medium and Large size recoil pads are available for synthetic



option. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better can be extended by increments of 5mm (1/5") by simply inserting one or more of stock drop & stock cast perfectly fitting himself and his shooting style by simply shooting and faster swing on targets. With 3 TRIOPAD® Stock Spacers stock length of pull can these spacers. be extended to different lengths.





TRIOPAD® Butt System
TRIOPAD® Butt System with TRIOPAD® Stock Spacers can be put on most Escort shotguns as an Stock length of pull spacers are available for wood stocks. The stock length of pull spacers are available. Any shooter can adjust the inserting one or more of the four special shims between the receiver and stock.

Escort Shotgun Case

Escort shotgun case is made of durable infrangible material. It is designed to take two barrels in it. It allows you to carry every accessory that you need with your shotgun.
















Optima Silver Trap



Model	Stock	mm	in
Optima	Length of Pull	362	14 ¹ / ₄
Silver	Drop at Comb	40	1 9/16
Trap	Drop at Heel	63.5	2 1/2





- 12 gauge, 3" / 76mm chamber over & under shotgun
- Single selective gold plated trigger
- Auto ejector or extractor system
- High grade Turkish walnut stock and forend with checkering.
- Rubber recoil pad
- Steel receiver with soft engraving and white nickel finish
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib
- Hiviz Spark front sight
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL
- Sling swivels (optional)

	•
Hiviz Spark	
Front Sight	
	Hiviz Spark front sight is included.

are with no TRIOPAD Stock Spacers mounted. Stock Length of Pull

can be extended with increments of 5mm

(0.2") when TRIOPAD

Stock Spacers are mounted on the Butt. Each **TRIOPAD** Stock

Spacer increases the Stock Length of Pull by 5mm (0.2 inches).

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima Silver Trap	12	3" / 76mm Magnum	Extractor or Auto Ejector	High Grade Turkish Walnut with elevation adjustable cheek piece	Rubber	Steel White chrome finish with soft engraving	Black Chrome	28" / 71cm	Hiviz Spark Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg

Optima Silver Select





- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected high class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.
- Steel receiver with soft engraving and white chrome finish.

Drop at Comb | 40 | 1 9/16

- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered
- Hiviz Spark front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL .
- Sling swivels (optional).







very Optima Silver Select has TRIOPAD® butt system with TRIOPAD® Stock Spacers. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better shooting and to faster swing on targets. Stock length of pull can be extended o different lengths with the 3 TRIOPAD® Stock Spacers.

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima Silver Select	12	3" / 76mm Magnum	Extractor or Auto Ejector	High Class Turkish Walnut with oil polish & checkering	TRIOPAD Butt System	Steel White chrome finish with soft engraving	Black Chrome	28" / 71cm	Hiviz Spark Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg



Optima Silver Synthetic



Optima Synthetic Slug 20"/51cm slug barrel version. Picatinny rail on lower barrel for flashlight or laser mounts.

• Steel receiver with soft engraving and white chrome finish.

Hiviz Spark **Front Sight**

• Sling swivels (optional).


Stock Spacers

Length of Pull | 362 | 14 1/4 Drop at Comb 40 1 9/16 mounted. Stock Drop at Heel 63.5 2 1/2 Length of Pull

can be extended with increments of 5mm (0.2") when TRIOPAD Stock Spacers are mounted on the Butt. Each TRIOPAD Stock Spacer increases the Stock Length of Pull by 5mm (0.2 inches).



Optima Choke Tubes



rery Optima Silver Synthetic has TRIOPAD® butt system with TRIOPAD® Stock Spacers and with an adjustable comb mechanism. Recoil absorption is naximized with TRIOPAD® butt system which contributes to better shooting and to faster swing on targets. Stock length of pull can be extended to different lengths with the 3 TRIOPAD® Stock Spacers. Adjustable comb mechanism provides better sight in opportunities and shooting comfort for

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver Finish	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima Silver Synthetic	12	3" / 76mm Magnum	Extractor or Auto Ejector	Advanced Polymer with Adjustable Comb	TRIOPAD Butt System	Steel White chrome Finish with soft engraving	Black Chrome	28" / 71cm	Hiviz Spark Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg
Optima Synthetic Slug	12	3" / 76mm Magnum	Extractor or Auto Ejector	Advanced Polymer with Adjustable Comb	TRIOPAD Butt System	Steel White chrome Finish with soft engraving	Black Chrome	20" / 51cm	Hiviz Spark Front Sight	No rib	Single selective	MC5	37" / 94cm	7.0lbs / 3.2kg



Optima Choke Tubes Optima Silver Synthetic comes with 5 steel shot suitable inner chokes: F, IM, M, IC, CYL.

P	ГіМА
	10

Model	Stock	mm	in	
	Length of Pull	362	14 1/4	
Optima B12	Drop at Comb	40	1 ⁹ / ₁₆	
	Drop at Heel	63.5	2 1/2	

- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver with soft engraving and black chrome finish.

- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver Finish	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weigl
Optima B12	12	3" / 76mm Magnum	Extractor or Auto Ejector	Turkish Walnut with checkering	Rubber	Steel Black chrome finish with soft engraving	Black Chrome	28" / 71cm	Metal Bead Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg



Optima Single Barrel Shotguns



Single Barrel, Break | 12 GA / 16 GA / 20 GA /

Action, With Hammer 28GA / 410 GA (36 GA)

Gauge Options | Chamber | Stock & Forend | Recoil Pad

3" / 76mm | Turkish Walnut | Stiff Plastic



- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (8mm) checkered ventilated antiglare rib.

- Fixed cylinder choke.
- White chrome plated steel receiver.
- Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- Sling swivels.

Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm	8mm width ventilated	Fixed Cylinder Choke	No Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs



- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
- Capability of firing both 3" / 76mm and 2 ¾" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel.
- Medium width (8mm) checkered ventilated antiglare rib.

- Fixed cylinder choke.
- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.

Model	Туре	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-P	Single Barrel, Break Action, With Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Synthetic	Rubber	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm	8mm width ventilated	Fixed Cylinder Choke	No Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs





- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun without hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (8mm) checkered ventilated antiglare rib.

- Fixed cylinder choke.
- White chrome plated steel receiver. • Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- Sling swivels.

Model	Туре	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-WX	Single Barrel, Break Action, Without Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Turkish Walnut	Stiff Plastic	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm	8mm width ventilated	Fixed Cylinder Choke	Cross Button Trigger Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs



- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells. Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (8mm) checkered ventilated antiglare rib.

- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.

odel	Туре	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weig
tima	Single Barrel, Break	12 GA / 16 GA / 20 GA /	2" / 76mm	Synthotic	Dubbor	White chrome plated	Black chrome finished	20", 22", 24", 26", 28", 30"	8mm width	n width Fixed Cylinder Cross Butt	Cross Button	1	Fixed Metal	2.5kg / 5.5lbs
3-PX	Action, Without Hammer	28GA / 410 GA (36 GA)	3 / /0111111	Synthetic	Rubber	steel receiver	Ni-Cr-Mo steel	51 / 56 / 61 / 66 / 71 / 76cm	ventilated	Choke	Trigger Safety	l I	Bead	2.3kg / 3.3lb

ESCORT SHOTGUNS





facebook.com/hatsan.com.tr



twitter.com/hatsan_arms



youtube.com/hatsanarms



HATSAN ARMS COMPANY

Factory: Kemalpasa O.S.B. Mahallesi , Ansizca Sanayi Sitesi No: 303, Kemalpasa, 35730, Izmir - TURKEY Office: Ansizca Koyu Sogutcuk Mevkii No: 2, Kemalpasa, 35730, Izmir, TURKEY Tel: +90 (232) 878 91 00 • Fax: +90 (232) 878 91 02 - 878 97 23 info@hatsan.com.tr



www.hatsan.com.tr www.escortshotguns.com