



**Serious. Solid. Impact.**



**ESCORT  
SHOTGUNS**



# HATSAN Vision

Serious. Solid. Impact.



## DuoTex

Our new DuoTex butt stock offers two important confidence building features for the shooter. The DuoTex's smooth, non-stick upper surface provides for faster shouldering, while the rough textured lower surface stops the gun properly and securely into place.



Model	Stock	mm	in
Hatsan Vision	Length of Pull	365	14.4"
	Drop at Comb	37	1.45"
	Drop at Heel	57	2.2"

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sights	Overall Length	Average Weight
Hatsan Vision	12 GA (Gas Operated)	3" - 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7 mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122 cm	7.4lbs / 3.3kg
Hatsan Vision SLG	12 GA (Gas Operated)	3" - 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111 cm	6.8lbs / 3.1kg



**FAST**  
LOADING SYSTEM

**SMART**  
VALVE PISTON

- Hunting purpose 12gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Ergonomic & stylish design Turkish walnut stock and fore-end with checkering.
- Oil finished stock and fore-end.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- DuoTex rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



## **HATSAN Vision- SLG**

24"/61cm slug barrel version with adjustable fiber optic sights.  
18"/46cm , 20"/51cm and 22"/55cm barrels are available.

Elevation adjustable fiber optic rear sight



Windage adjustable  
fiber optic front sight



# HATSAN Vision Plus

Serious. Solid. Impact.



Hatsan Vision Plus comes in its exclusive design rugged hard case with polyurethane padding.

## DuoTex

Our new DuoTex butt stock offers two important confidence building features for the shooter. The DuoTex's smooth, non-stick upper surface provides for faster shouldering, while the rough textured lower surface stops the gun properly and securely into place.



Model	Stock	mm	in
Hatsan Vision Plus	Length of Pull	365	14.4"
	Drop at Comb	37	1.45"
	Drop at Heel	57	2.2"

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sights	Overall Length	Avareage Weight
Hatsan Vision Plus	12 GA (Gas Operated)	3" - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7 mm	F, IM, M, IC, CYL, Extra Full	Manual cross button	4+1	Fiber optic front sight	48" / 122 cm	7.4lbs / 3.3kg
Hatsan Vision Plus SLG	12 GA (Gas Operated)	3" - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111 cm	6.8lbs / 3.1kg



**FAST**  
LOADING SYSTEM

**SMART**  
VALVE PISTON

- Hunting purpose 12gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Ergonomic & stylish design, glossy finish high grade Turkish walnut stock and fore-end with checkering.
- Glossy barrel (matt finish is available upon demand)
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- DuoTex rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib with fiber optic front sight fitted.
- Steel shot suitable and extended multi 5 chokes F, IM, M, IC, CYL. Plus an additional Extra Full choke.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.
- Comes in its exclusive design rugged hard case with polyurethane padding.



Steel shot suitable and extended multi 5 chokes F, IM, M, IC, CYL. Plus an additional Extra Full choke.



## HATSAN Vision Plus-SLG

24"/61cm slug barrel version with adjustable fiber optic sights.  
18"/46cm, 20"/51cm and 22"/55cm barrels are available.



Stylish design engraving on the left side of the receiver.



Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight



Serious. Solid. Impact.

# ESCORT Dynamax Technologies

## DynaComb

DynaComb is made of special elastic material. It provides superior reduction in felt recoil on cheek and increases shooting comfort.

Bolt is made of nickel-chromium-molybdenum steel and is hard chrome lined for longer life, less friction and maximum resistance against corrosion.

## DaSoft

DaSoft Finish Technology applied to the stock provides scuff resistance, improves durability, and protects against UV damage. DaSoft Finish Technology offers the user a soft, ergonomically comfortable shooting experience.


## DynaPad

DynaPad's V-shaped ventilation hole design provides superior recoil absorption and shooting comfort.

## HCS Hybrid Cycling System

Hatsan's patented Hybrid Cycling System combines the best features from each of the two traditional cycling operating systems. Recoil is low, while cycle rate and effective range are high. It will cycle light loads like a traditional gas system, but uses much less gas to do so – which means you don't have to clean as frequently. Disassembly/assembly is much simpler, as well, making maintenance even easier than ever. Hybrid Cycling System (HCS) brings together the perfect combination of speed, range, and comfort.

Nickel-chromium-molybdenum steel Barrel / Receiver module is hard black chrome lined on its outer surface and hard white chrome lined on its inner surface for maximum durability for any kind of shotshells including steel or tungsten shot and provides maximum resistance against corrosion.



Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).



Barrel / Receiver module



Stock / Trigger group module

**2PCS**  
Module



## Dynamax Hard Case

Exclusively designed for the Dynamax semi-auto shotgun. Compactly stores disassembled Dynamax shotgun, extra chokes, sights and other accessories. Sold Separately.



Its unique 2-piece modular design makes the Escort Dynamax shotgun one of the world's fastest and easiest shotgun to assemble and disassemble. It can be fully disassembled and reassembled in only seconds!



# ESCORT Dynamax

Serious. Solid. Impact.



- 12 gauge, 3"/76mm magnum chamber, Kinetic + Gas Dual System semi auto shotgun.
- Hybrid Cycling System (HCS) brings together the perfect combination of speed, range, and comfort.
- 2-Piece modular system. Stock / Trigger group module & Barrel / Receiver module.
- 2-Piece Modular design makes Escort Dynamax shotgun the world's fastest and easiest to assemble and disassemble. The assembly or disassembly is done in a few seconds!
- Single piece stock-forend with shock absorber and flexible DynaComb cheek piece.
- DynaComb is made of special elastic material. It provides superior reduction in felt recoil on cheek and increases shooting comfort.
- DaSoft® finish on stock providing durability and soft touch feel
- Steel receiver with 11mm groove for scope mounts.
- DynaPad® recoil pad system for maximum recoil absorption.

- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm
- Checkered & ventilated anti-glare rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Detachable sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort DynaMAX	Length of Pull	365	14 3/8
	Drop at Comb	40	1 3/5
	Drop at Heel	65	2 5/9

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sights	Overall Length	Average Weight
Escort Dynamax	12 GA (Kinetic + Gas Dual System)	3" - 76mm Magnum	Synthetic	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7 mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	50" / 127cm	7lbs / 3.2kg
Escort Dynamax SLG	12GA (Kinetic + Gas Dual System)	3" - 76mm Magnum	Synthetic	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	46" / 117cm	6.8lbs / 3.1kg
Escort Dynamax PGS	12 GA (Kinetic + Gas Dual System)	3" - 76mm Magnum	Synthetic pistol grip stock with shotshell holder	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7 mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	50" / 127cm	7.7lbs / 3.5kg
Escort Dynamax PGS-SLG	12GA (Kinetic + Gas Dual System)	3" - 76mm Magnum	Synthetic pistol grip stock with shotshell holder	Rubber	Steel	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	46" / 117cm	7.2lbs / 3.3kg





**ESCORT** Dynamax SLG  
24"/61cm slug barrel version  
with adjustable fiber optic sights.



**ESCORT** Dynamax RT APHD  
Realtree APHD camo version.



**ESCORT** Dynamax PGS  
Pistol grip stock version



**ESCORT** Dynamax RT MAX4HD  
Realtree Max4HD camo version.



**ESCORT** Dynamax PGS-SLG  
Pistol grip stock version with 24"/61cm slug barrel and  
adjustable fiber optic sights.



**ESCORT** Dynamax RT MAX5  
Realtree Max5 camo version.



**ESCORT** Dynamax OD  
OD stock version.



**ESCORT** Dynamax APHD Cerakote  
Realtree APHD camo stock and forest green cerakote finish  
barrel/receiver module.



**ESCORT** Dynamax DZ  
DZ color stock version



**ESCORT** Dynamax RT Max4HD Cerakote  
Realtree Max4HD camo stock and flat dark earth cerakote finish  
barrel/receiver module.



# ESCORT Dynova

Serious. Solid. Impact.



## ESCORT DYNOVA

- 12 gauge, 3" / 76mm magnum chamber, kinetic (inertia) system semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24" / 61cm, 26" / 66cm, 28" / 71cm and 30" / 76mm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Gold plated trigger
- Sling swivels.



## ESCORT Dynova SLG

24" / 61cm slug barrel version with adjustable fiber optic sights.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Dynova	12 GA (Kinetic System)	3" - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	7.2lbs / 3.25kg
Escort Dynova-SLG	12 GA (Kinetic System)	3" - 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	45" / 115cm	6.6lbs / 3kg

Model	Stock	Millimeters (mm)	Inches
Escort Dynova / Escort Dynova SYN	Length of Pull	365	14 3/8
	Drop at Comb	30	1 1/6
	Drop at Heel	50	2



## ESCORT Dynova SYN

- Synthetic stock version.
- Elevation adjustable cheek piece.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Dynova SYN	12 GA (Kinetic System)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	6.8lbs / 3.1kg
Escort Dynova SYN-SLG	12 GA (Kinetic System)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	45" / 115cm	6.4lbs / 2.9kg

# HATSAN SX12



Serious. Solid. Impact.



## HATSAN SX12

Model	Stock	Millimeters (mm)	Inches
Hatsan SX12	Length of Pull	365	14 3/8
	Drop at Comb	30	1 1/6
	Drop at Heel	50	2

- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Hatsan SX12	12 GA (Kinetic System)	3" - 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	7lbs / 3.15kg



## HATSAN RV12

Model	Stock	Millimeters (mm)	Inches
Hatsan RV12	Length of Pull	365	14 3/8
	Drop at Comb	30	1 1/6
	Drop at Heel	50	2

- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Hatsan RV12	12 GA (Kinetic System)	3" - 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	49" / 125cm	7lbs / 3.15kg



# ESCORT SupremeMax / XtremeMax Technologies

## 3 1/2" - 89mm Double Magnum

Serious. Solid. Impact.



### Stock Length of Pull Spacers

Three stock length of pull spacers that fit between stock and recoil pad are standard. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the stock length of pull which provides easier shouldering of the shotgun, faster swing on targets and less felt recoil.

The receivers are made of aluminum alloy (Ergal) material which is very light in weight but very resistant against high pressures. The black anodize plating on the receiver not only gives extra durability but also provides a life-time coating. Glossy or matt finish receivers are available.

The bolts of all Escorts are made of nickel-chromium-molybdenum steel and are hard chrome plated for longer life, less friction and maximum corrosion resistance.

3 1/2" - 89mm double magnum chamber which can handle all 12 gauge loads in a single shotgun.



### Magazine Cut-Off


By pressing this button, you can retain shells in the magazine and can eject a shell from the chamber without feeding another one from the magazine.

### Stock Drop & Cast Adjustment Shims


3 stock drop shims and 1 stock cast shim. You can adjust the stock drop & stock cast perfectly fitting yourself and your shooting style by simply inserting one or more of the four special shims between the receiver and stock.



### STOCK DROP SPACERS



### STOK CAST SPACERS



### Escort Fast Loading System

Escort Fast Loading System enables faster and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading System provides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks the bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.





The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shot; and provides maximum corrosion resistance, besides it is easier to clean. Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.

### Escort Choke Tubes

All Escort shotguns (except for slug barrels) come with 5 mobile chokes: Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL). Extra full choke is available upon request. M, IC and CYL choke tubes are good for steel shots.





Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)





### SmartMAX Piston

The new SmartMAX piston is specially designed for 3 1/2" (89mm) chamber Escort SupremeMAX and Escort XtremeMAX. The SmartMAX piston automatically adjusts the exact & reliable gas pressure needed for a wide range of loads from 7/8 oz (24gr) shot load to heavy 2 3/8 oz (66gr) load double magnum shells. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases are used to operate the action. Escort's patented SmartMAX piston automatically self adjusts this reliably even if you mix different size & weight shot shells in the magazine and allows the shooter to fire any 12 gauge load in seconds. Also, thanks to the SmartMAX Piston, most of the recoil is eliminated before it reaches your shoulder giving shooting conformance, reduced barrel rise and faster swing on targets.



When firing heaviest magnum & double magnum shells; excess gas pressure opens the front valve of the SmartMAX piston and excessive gas pressure is exhausted. SmartMAX piston automatically self adjusts the necessary gas pressure needed to operate the action and the excess gases exhaust upwards from the sides of the barrel. As the majority of the excess gas pressure is absorbed due to SmartMAX Piston, most of the recoil is eliminated before reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.



When firing light loads; almost all of the gas pressure is used to operate the action and only a small portion is exhausted. Because the gas pressure is relatively smaller in light loads, the gas pressure cannot open the front valve of the SmartMAX piston. Hence only a small portion is exhausted and the majority is used to operate the action.



Serious. Solid. Impact.

# ESCORT SupremeMAX


3 1/2" - 89mm Double Magnum



High grade Turkish walnut stock in glossy finish

- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 3/4" - 70mm, 3" - 76mm & 3 1/2" - 89mm shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 1/2" - 89mm double magnum chamber, gas operated semi auto shotgun
- Fast Loading System & SmartMAX Piston
- Glossy finish high class Turkish walnut stock and fore-end with checkering
- Glossy finish receiver & barrel
- Black anodized aircraft alloy receiver with 11mm groove for scope mounts
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull
- Gold plated metal trigger.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1.
- Accessory migratory plug decreases capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)



Model	Stock	Millimeters (mm)	Inches
Escort SupremeMAX	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort SupremeMAX	12 GA (Gas Operated)	3 1/2" - 89mm Double Magnum	High grade Turkish walnut	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7.7lbs / 3.5kg

# ESCORT SupremeMAX-SLG

## 3 1/2" - 89mm Double Magnum



Serious. Solid. Impact.



24"/61cm slug barrel with fiber optic adjustable rear & adjustable fiber optic front sight fitted version.

- 24"/61cm slug barrel with adjustable fiber optic rear sight & adjustable fiber optic front sight.
- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 3/4" - 70mm, 3" - 76mm & 3 1/2" - 89mm
- shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 1/2" - 89mm double magnum chamber, gas operated semi auto shotgun
- Fast Loading System & SmartMAX Piston
- Glossy finish high class Turkish walnut stock and fore-end with checkering
- Glossy finish receiver & barrel
- Black anodized aircraft alloy receiver with 11mm groove for scope mounts
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull
- Gold plated metal trigger.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1.
- Accessory migratory plug decreases capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort SupremeMAX-SLG	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort SupremeMAX-SLG	12 GA (Gas Operated)	3 1/2" - 89mm Double Magnum	High grade Turkish walnut	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7.2lbs / 3.3kg



Serious. Solid. Impact.

# ESCORT XtremeMAX

3 1/2" - 89mm Double Magnum




Soft rubber inlays for better control & feel

Soft touch finish

Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)

Model	Stock	Millimeters (mm)	Inches
Escort XtremeMAX	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2



ESCORT XtremeMAX- RT Max4HD



ESCORT XtremeMAX-RT APHD



Yellow, orange, dark & light grey color inlays are available.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort XtremeMAX	12 GA (Gas Operated)	3" 1/2 - 89mm Double Magnum	Synthetic	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7.5lbs / 3.4kg
Escort XtremeMAX-SLG	12 GA (Gas Operated)	3" 1/2 - 89mm Double Magnum	Synthetic	Rubber	Black anodized aircraft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7lbs / 3.2kg





- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 3/4" - 70mm, 3" - 76mm & 3 1/2" - 89mm shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 1/2" - 89mm double magnum chamber, gas operated semi auto shotgun
- Fast Loading System & SmartMAX Piston
- Glossy finish receiver & barrel
- Black anodized aircraft alloy receiver 11mm groove for scope mounts
- Black synthetic stock with rubber inlays for better control & feel
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm

- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL)
- Magazine capacity: 4+1 rounds
- Accessory magazine extension tube increases capacity to 7+1
- Accessory migratory plug decreases capacity to 2+1
- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



Red, green and Blue color receivers are available.



## ESCORT XtremeMAX-SLG

24"/61cm slug barrel version with adjustable fiber optic sights.

Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight



# ESCORT Semi Auto Technologies

## 3" / 76mm Magnum

Serious. Solid. Impact.

### Stock Length of Pull Spacers



Escort Supreme, Escort Xtreme and other wood stock Escort shotguns come with three stock length of pull spacers that fit between stock and recoil pad. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the stock length of pull which provides him an easier shouldering of the shotgun, faster swing on targets and less felt recoil. On all other synthetic stock Escorts; Small, Medium

and Large size recoil pads are available as an option. Medium size recoil pad comes on the shotgun as standard which provides 36cm (14 1/5") stock length of pull. This can be shortened by 5mm (1/5") and extended by 5mm (1/5") when Small & Large size recoil pad is fitted respectively.



The receivers of all Escorts are made of aluminum alloy (Ergal) material which is very light in weight but very resistant against high pressures. The black anodize plating on the receiver not only gives extra durability but also provides a life-time coating. Glossy or matt finish receivers are available.

The bolts of all Escorts are made of nickel-chromium-molybdenum steel and are hard chrome plated for longer life, less friction and maximum corrosion resistance.




### Magazine Cut-Off

By pressing this button, you can retain shells in the magazine and can eject a shell from the chamber without feeding another one from the magazine.

### Stock Drop & Cast Adjustment Shims

3 stock drop shims and 1 stock cast shim. You can adjust the stock drop & stock cast perfectly fitting yourself and your shooting style by simply inserting one or more of the four special shims between the receiver and stock.



### Escort Fast Loading System



Escort Fast Loading System enables faster and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading System provides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.




The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shots; and provides maximum corrosion resistance, besides it is easier to clean. Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.

### Escort Choke Tubes


All Escort shotguns (except for slug barrels) come with 5 mobile chokes: Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL). Extra full choke is available upon request. M, IC and CYL choke tubes are good for steel shots.



The Smart Valve Piston automatically adjusts the exact & reliable gas pressure needed for a wide range of loads from 7/8 oz (24gr) shot loads to heavy 2 oz (57gr) magnum loads. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases are used to operate the action. Escort's patented Smart Valve Piston automatically self adjusts this reliably even if you mix different size & weight shot shells in the magazine and Escort shoots them all. Also, thanks to the Smart Valve Piston, most of the recoil is eliminated before it reaches your shoulder giving shooting conformance, reduced barrel lift and faster swing on targets. Smart Valve Piston is standard on all Escort semi auto shotguns.



When firing heaviest magnum & double magnum shells; excess gas pressure opens the Smart Valve Piston and compresses the leaf spring. Smart Valve Piston automatically self adjusts the necessary gas pressure needed to operate the action and the excess gases exhaust upwards from the sides of the forend. As the majority of the excess gas pressure is absorbed thanks to Smart Valve Piston, most of the recoil is eliminated before reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.



When firing light loads; almost all of the gas pressure is used to operate the action and only a small portion is exhausted. Because the gas pressure is relatively smaller in light loads, the gas pressure cannot open much the Smart Valve Piston and cannot compress the leaf spring. Hence only a small portion is exhausted and majority is used to operate the action.



# ESCORT Supreme

Serious. Solid. Impact.



High grade Turkish walnut stock in glossy finish

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort Supreme	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Supreme	12 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	6.8lbs / 3.1kg
Escort Supreme 20	20 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	6.4lbs / 2.9kg

# ESCORT Supreme-SLG



Serious. Solid. Impact.



- 24"/61cm slug barrel with adjustable fiber optic rear sight & adjustable fiber optic front sight.
- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/51, 22"/55cm, 24"/61cm,
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort Supreme-SLG	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Supreme-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.4lbs / 2.9kg
Escort Supreme-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	High grade Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	5.9lbs / 2.7kg



# ESCORT Xtreme

Serious. Solid. Impact.



Soft rubber inlays for better control & feel

Model	Stock	Millimeters (mm)	Inches
Escort Xtreme	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2



**ESCORT** Xtreme-RT Max4HD




**ESCORT** Xtreme-RT APHD



Yellow, orange and dark grey color inlays are available.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Xtreme	12 GA (Gas Operated)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7lbs / 3.2kg
Escort Xtreme-SLG	12 GA (Gas Operated)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.6lbs / 3kg
Escort Xtreme 20	20 GA (Gas Operated)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	6.6lbs / 3kg
Escort Xtreme-SLG 20	20 GA (Gas Operated)	3" - 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.2lbs / 2.8kg



**FAST**  
LOADING SYSTEM

**SMART**  
VALVE PISTON

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (Also available in 20 gauge).
- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Black synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.

- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



Red, green and Blue color receivers are available.



## ESCORT Xtreme-SLG

24"/61cm slug barrel version with adjustable fiber optic sights.  
18"/46cm, 20"/51cm and 22"/55cm barrels are available.

Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight





# ESCORT Missione

Serious. Solid. Impact.



Soft rubber inlays for better control & feel



Comes with steel shot suitable extended inner chokes.

- Hunting purpose 12 gauge or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun
- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- White anodized air craft alloy receiver with engraving and 11mm groove for scope mounts.
- Walnut camo synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels



Plastic hard case is included.



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Missione	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic-Walnut Camo	Rubber	White anodised air craft alloy with engraving	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7lbs / 3.2kg
Escort Missione 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic-Walnut Camo	Rubber	White anodised air craft alloy with engraving	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	6.6lbs / 3kg



# ESCORT Luxano & ESCORT Trio



Serious. Solid. Impact.

High grade Turkish walnut stock & fore-end with oil polish



**ESCORT Luxano**

Model	Stock	Millimeters (mm)	Inches
Escort Luxano & Escort Trio	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

These measurements are with no TRIOPAD® Stock Spacers mounted. Stock Length of Pull can be extended with increments of 5mm (1/2") when TRIOPAD® Stock Spacers are mounted on the butt.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (also available in 3 1/2"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- High class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to extend stock length of pull.
- Black & white anodized air craft alloy receiver with relief engraving & 11mm groove for scope mounts.
- Gold plated metal trigger.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.



- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Magazine cut-off system for single shot.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



Escort Luxano and Escort Trio has TRIOPAD® butt system with TRIOPAD® Stock Spacers. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better shooting and to faster swing on targets. With 3 TRIOPAD® Stock Spacer stock length of pull can be extended to different lengths.



**ESCORT Trio**

Synthetic Stock Version

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Luxano	12 GA (Gas Operated)	3" / 76mm Magnum	High class Turkish walnut	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7lbs / 3.2kg
Escort Luxano 20	20 GA (Gas Operated)	3" / 76mm Magnum	High class Turkish walnut	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	5.9lbs / 2.7kg
Escort Trio	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	7.3lbs / 3.3kg
Escort Trio 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black & white anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Fiber optic front sight	48" / 122cm	6.2lbs / 2.8kg



# ESCORT AS

Serious. Solid. Impact.



- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and

- 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort AS	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2



## ESCORT AS-SLG

24"/61cm slug barrel version with adjustable fiber optic sights. 18"/46cm, 20"/51cm, 22"/55cm barrels are available.

Elevation adjustable fiber optic rear sight



Windage adjustable fiber optic front sight





## ESCORT AS-Double Magnum

3 1/2" / 89mm chamber double magnum version in 12 gauge.  
Can fire any shot shell from 1 1/8oz (32gr) to 2 3/8oz (66gr) double magnum shells.



## ESCORT AS Youth

20 Gauge & 22" / 55cm barrel youth version. Special design for ladies and young shooters.  
Comes with a shorter stock for a perfect fit.

Model	Stock	Millimeters (mm)	Inches
Escort AS Youth	Length of Pull	330	13
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort AS	12 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.8lbs / 3.1kg
Escort AS-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.4lbs / 2.9kg
Escort AS-DM	12 GA (Gas Operated)	3 1/2" / 89mm Double Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
Escort AS 20	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.4lbs / 2.9kg
Escort AS Youth	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	41" / 104cm	5.9lbs / 2.7kg
Escort AS-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.2lbs / 2.8kg



# ESCORT PS

Serious. Solid. Impact.



Model	Stock	Millimeters (mm)	Inches
Escort PS	Length of Pull	360	14 1/5
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.



- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.




**ESCORT PS-Marine**  
Marine finish version



**ESCORT PS-SLG**

24"/61cm slug barrel version with adjustable fiber optic sights.  
18"/46cm, 20"/51cm and 22"/55cm barrels are available.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort PS	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
Escort PS 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.2lbs / 2.8kg
Escort PS-SLG	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.6lbs / 3.0kg
Escort PS-SLG 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	5.9lbs / 2.7kg



**ESCORT RT Max5 Cerakote**

Realtree Max5 camo stock and forest green cerakote finish barrel & receiver



**ESCORT Break Up Infinity**

Mossy Oak Break Up Infinity camo version



**ESCORT Duck Blind**

Mossy Oak Duck Blind camo version



**ESCORT Obsession**

Mossy Oak Obsession camo version



**ESCORT Break-Up**

Mossy Oak Break-Up camo version



**ESCORT Shadow Grass**

Mossy Oak Shadow Grass camo version



**ESCORT MW**

Wood grain camo version



**ESCORT Muddy Girl**

Exclusive design for ladies. Muddy Girl camo short stock and forend, 20 gauge, 3" / 76mm chamber and 22" / 55cm barrel. Different barrel lengths are available.



Serious. Solid. Impact.

# ESCORT Slug Auto



- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (also available in 3 1/2"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts.
- Fiber optic adjustable rear sight and front sight.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

Model	Stock	Millimeters (mm)	Inches
Escort Slug Auto	Length of Pull	360	14 1/5
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Slug Auto	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.6lbs / 3.0kg
Escort Slug Auto 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.2lbs / 2.8kg

# ESCORT Slug Auto Combo



Serious. Solid. Impact.



## ESCORT Slug Auto Combo

One package for both deer & bird hunting. Comes with an additional 26"/66cm raised rib barrel with Hiviz Spark front sight fitted. The additional barrel is available in 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm length.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun. (also available in 3 1/2"/89mm double magnum chamber)
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts and 26"/66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22"/55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



Elevation adjustable fiber optic rear sight

Cantilever for scope mounts.

Windage adjustable fiber optic front sight

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Sight	Magazine Capacity	Overall Length	Safety	Average Weight
Escort Slug Auto Combo	12 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross button	6.6lbs / 3.0kg
							26" / 66cm	7mm		Hiviz Spark	4+1	46" / 117cm		
Escort Slug Auto Combo 20	20 GA (Gas Operated)	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross button	6.2lbs / 2.8kg
							26" / 66cm	7mm		Hiviz Spark	4+1	46" / 117cm		



# ESCORT PS – Double Magnum


## 3 1/2" – 89mm Double Magnum

Serious. Solid. Impact.



Model	Stock	Millimeters (mm)	Inches
Escort PS-Double Magnum	Length of Pull	360	14 1/5
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2


- Hunting purpose 12 gauge, 3 1/2"/89mm double magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing loads from 1 1/8oz (32gr) to 2 3/8oz (66gr) double magnum shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.




**ESCORT PS Marine-DM**  
Marine finish version

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort PS-Double Magnum	12 GA (Gas Operated)	3 1/2"/89mm double magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7.3lbs / 3.3kg






**ESCORT** Break Up Infinity-DM  
Mossy Oak Break Up Infinity camo version



**ESCORT** Duck Blind-DM  
Mossy Oak Duck Blind camo version



**ESCORT** Obsession-DM  
Mossy Oak Obsession camo version



**ESCORT** Break Up-DM  
Mossy Oak Break-Up camo version



**ESCORT** Shadow Grass-DM  
Mossy Oak Shadow Grass camo version



**ESCORT** MW-DM  
Wood grain camo version



Serious. Solid. Impact.

# ESCORT FieldHunter



Model	Stock	Millimeters (mm)	Inches
Escort FieldHunter	Length of Pull	360	14 1/5
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



**ESCORT MarineHunter**  
Marine finish version



**ESCORT FieldHunter-SLG**

24"/61cm slug barrel with fiber optic adjustable rear & adjustable fiber optic front sight fitted version.  
18"/46cm, 20"/51cm, 22"/55cm barrels are available.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort FieldHunter	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.8lbs / 3.1kg
Escort FieldHunter 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	6.3lbs / 2.85kg
Escort FieldHunter-SLG	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.3lbs / 2.85kg
Escort FieldHunter-SLG 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.2lbs / 2.8kg



**ESCORT** FieldHunter Break Up Infinity  
*Mossy Oak Break Up Infinity camo version*



**ESCORT** FieldHunter Duck Blind  
*Mossy Oak Duck Blind camo version*



**ESCORT** FieldHunter Obsession  
*Mossy Oak Obsession camo version*



**ESCORT** FieldHunter Break-Up  
*Mossy Oak Break-Up camo version*



**ESCORT** FieldHunter Shadow Grass  
*Mossy Oak Shadow Grass camo version*



**ESCORT** FieldHunter MW  
*Wood grain camo version*



**ESCORT** Pink Pump  
*Exclusive design for ladies. Pink camo stock and forend.  
Available in 12 or 20 gauge.*



Serious. Solid. Impact.

# ESCORT Slug Pump



Model	Stock	Millimeters (mm)	Inches
Escort Slug Pump	Length of Pull	360	14 1/5
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- 22"/55cm slug barrel with welded cantilever for 22 m scope mounts.
- Fiber optic adjustable rear sight and front sight.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



Elevation adjustable fiber optic rear sight

Cantilever for scope mounts

Windage adjustable fiber optic front sight

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort Slug Pump	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.6lbs / 3.0kg
Escort Slug Pump 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	42" / 106cm	6.2lbs / 2.8kg

# ESCORT Slug Pump Combo



Serious. Solid. Impact.



## ESCORT Slug Pump Combo

One package for both deer & bird hunting. Comes with an additional 26" / 66cm raised rib barrel with Hiviz Spark front sight fitted. The additional barrel is available in 24" / 61cm, 26" / 66cm, 28" / 71cm and 30" / 76cm length.

- Hunting purpose 12 or 20 gauge, 3" / 76mm magnum chamber pump action shotgun.
- 22" / 55cm slug barrel with welded cantilever for 22mm scope mounts and 26" / 66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22" / 55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.

Elevation adjustable fiber optic rear sight



Cantilever for scope mounts



Windage adjustable fiber optic front sight

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Sight	Magazine Capacity	Overall Length	Safety	Average Weight
Escort Slug Pump Combo	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross button	6.6lbs / 3.0kg
							26" / 66cm	7mm		Hiviz Spark	4+1	46" / 117cm		
Escort Slug Pump Combo 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	Fixed Cylinder	Fiber optic rear & front sight	4+1	42" / 106cm	Manual cross button	6.2lbs / 2.8kg
							26" / 66cm	7mm		Hiviz Spark	4+1	46" / 117cm		



# ESCORT WS

Serious. Solid. Impact.




Model	Stock	Millimeters (mm)	Inches
Escort WS	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- Turkish walnut stock and fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



## ESCORT WS-Youth

Designed for ladies & young shooters 20 GA, 22"/55mm barrel.



## ESCORT WS-SLG

24"/61cm slug barrel with fiber optic adjustable rear sight & adjustable fiber optic front sight fitted version. 18"/46cm, 20"/51cm, 22"/55cm barrels are available.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Available Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Escort WS	12 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7.5lbs / 3.4kg
Escort WS-SLG	12 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	7lbs / 3.2kg
Escort WS 20	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	28" / 71cm	7mm	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	48" / 122cm	7lbs / 3.2kg
Escort WS-SLG 20	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	24" / 61cm	-	Fixed Cylinder	Manual cross button	4+1	Fiber optic rear & front sight	44" / 111cm	6.6lbs / 3.0kg
Escort WS-Youth	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	22" / 55cm	-	F, IM, M, IC, CYL	Manual cross button	4+1	Metal bead	41" / 103cm	6.41lbs / 2.9kg

# ESCORT WS-Guard



Serious. Solid. Impact.



Model	Stock	Millimeters (mm)	Inches
Escort WS-Guard	Length of Pull	365	14 3/8
	Drop at Comb	41	1 5/8
	Drop at Heel	63,5	2 1/2

- Security & law enforcement purpose 12 or 20 gauge, 3" / 76mm magnum chamber pump action shotgun.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Turkish walnut stock and fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 7+1 rounds in 20"/51cm barrel, 5+1 in 18"/46cm barrels.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.

Fiber Optic Front Sight is included



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Available Chokes	Magazine Capacity	Sight	Overall Length	Safety	Average Weight
Escort WS-Guard	12 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	18" / 46cm	Fixed Cylinder	5+1	Fiber optic front sight	38" / 96cm	Manual cross button	7lbs / 3.2kg
							20" / 51cm	Fixed Cylinder	7+1	Fiber optic front sight	40" / 100cm		
Escort WS-Guard 20	20 GA	3" / 76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	18" / 46cm	Fixed Cylinder	5+1	Fiber optic front sight	38" / 96cm	Manual cross button	6.6lbs / 3.0kg
							20" / 51cm	Fixed Cylinder	7+1	Fiber optic front sight	40" / 100cm		



# ESCORT AimGuard

Serious. Solid. Impact.



- Security & law enforcement purpose 12 or 20 gauge, 3" / 76mm magnum chamber pump action shotgun.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Aircraft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Ergonomic design long forearm for fast and easy loading.
- Rubber butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Accessory pistol grip comes in its box at no additional cost (12 gauge models only).
- Folding stock is available at a reasonable cost (12 gauge models only).
- Sling swivels.

Fiber Optic Front Sight is included



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AimGuard	12 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised aircraft alloy	Black chrome finished Ni-Cr-Mo steel	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.4lbs / 2.9kg
							20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	
Escort AimGuard 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	Black anodised aircraft alloy	Black chrome finished Ni-Cr-Mo steel	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	5.5lbs / 2.5kg
							20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	



## ESCORT MarineGuard

Marine finish version



Escort shell holder stock is available as a option

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort MarineGuard	12 GA	3" / 76mm Magnum	Synthetic	Rubber	White nickel finish aircraft alloy	White nickel finished Ni-Cr-Mo steel	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.4lbs / 2.9kg
							20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	
Escort MarineGuard 20	20 GA	3" / 76mm Magnum	Synthetic	Rubber	White nickel finish aircraft alloy	White nickel finished Ni-Cr-Mo steel	18" / 46cm	38" / 96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	5.5lbs / 2.5kg
							20" / 51cm	40" / 100cm	7+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	





# ESCORT PS Guard



Serious. Solid. Impact.



- Security & law enforcement purpose 12 or 20 gauge, 3"/76mm chamber, gas operated semi auto shotgun.
- Patented "Smart Valve Piston" & "Fast Loading System"
- Magazine cut-off system for single shot.
- Fast Loading System & Smart Valve Piston.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
- All barrels are Proof Tested.
- Tough black matte finish.
- Air craft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Sling swivels.

Fiber Optic Front Sight is included



Escort shell holder stock is available as a option

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort PS Guard	12 GA (gas operated)	3"/76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.6lbs/3kg
							20"/51cm	40"/100cm	7+1	Fixed Cylinder			
Escort PS Guard 20	20 GA (gas operated)	3"/76mm Magnum	Synthetic	Rubber	Black anodised air craft alloy	Black chrome finished Ni-Cr-Mo steel	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	5.7lbs/2.6kg
							20"/51cm	40"/100cm	7+1	Fixed Cylinder			



## ESCORT PS MarineGuard

Marine finish version

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort PS MarineGuard	12 GA (gas operated)	3"/76mm Magnum	Synthetic	Rubber	White nickel finish air craft alloy	White nickel finished Ni-Cr-Mo steel	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.6lbs/3kg
							20"/51cm	40"/100cm	7+1	Fixed Cylinder			
Escort PS MarineGuard 20	20 GA (gas operated)	3"/76mm Magnum	Synthetic	Rubber	White nickel finish air craft alloy	White nickel finished Ni-Cr-Mo steel	18"/46cm	38"/96cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	5.7lbs/2.6kg
							20"/51cm	40"/100cm	7+1	Fixed Cylinder			



# Accessories & Options

Serious. Solid. Impact.



## ESCORT Inner Chokes

Escort Inner Choke Tubes for 12-gauge and 20-gauge are available in Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).

## ESCORT Extended Inner Chokes

Escort Extended Inner choke tubes for 12 gauge are available Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).

## Extra Full Choke

Extended Extra Full Choke is available in 12 and 20 gauge.

## Magazine Extension Tube

Increases the magazine capacity to 7+1 rounds from 4+1.

## Migratory Magazine Plug

Decreases the magazine capacity to 2+1 rounds from 4+1.

## ESCORT Recoil Pads

Small, Medium and Large size recoil pads are available for synthetic stocks.



## ESCORT Shotgun Bag

Designed for Escort hunting shotguns and made of waterproof high quality material. It includes an additional compartment for a spare barrel and another compartment for ammo.



## ESCORT Shotgun Case

Escort shotgun case is made of durable infrangible material. It allows you to carry every accessory that you need with your shotgun.



### TRIOPAD® Butt System

TRIOPAD® Butt System with TRIOPAD® Stock Spacers can be put on most Escort shotguns as an option. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better shooting and faster swing on targets. With 3 TRIOPAD® Stock Spacers stock length of pull can be extended to different lengths.



### Stock Length of Pull Spacers

Stock length of pull spacers are available for wood stocks. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers.



### Stock Drop & Cast Adjustment Shims

3 stock cast shims and 1 stock drop shim are available. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims between the receiver and stock.

*Cantilever to mount scopes are available on slug barrels as an option.*



### Barrel Extension

*Increases the barrel length by 10cm.*





# Batsas 121H

Serious. Solid. Impact.

## Batsas 121H-White

Model	Stock	mm	in
Batsas 121H	Length of Pull	367	14,45
	Drop at Comb	38	1,50
	Drop at Heel	58	2,30

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Exclusive design single action trigger system
- Auto ejector system.
- High grade Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver in white or black chrome finish.
- Every single part of Batsas o/u shotguns are gone thru suitable heat treatment and hardening process which makes each part high resistant and durable.
- Barrels are Mono-block design. Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. Proof tested at 1400 bar.
- Silver welded barrels and silver welded barrel ribs.
- Strong and durable barrel locking system.
- Smart safety system. Automatic safety turns to ON position when the lever is opened and automatically turns to OFF position when the barrel is closed. This system prevents accidental pull of the trigger before barrel is completely closed and locked in its place.
- Available Barrel lengths: 24" / 61cm, 26" / 66cm or 28" / 71cm with 8mm ventilated & checkered rib.
- Steel shot suitable and extended multi 5 chokes: F, IM, M, IC, CYL.
- Comes in its exclusive hard case.

## Batsas 121H-Black

Steel shot suitable and extended multi 5 chokes:  
F, IM, M, IC, CYL.



Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Batsas 121H	12	3" / 76 mm Magnum	Auto Ejector	High Grade Turkish Walnut	Rubber	Steel White or Black chrome finish	Black Chrome	28" / 71cm	Metal Bead Front Sight	Ventilated 8 mm	Single selective	MCS	45" / 115cm	3,05kg - 3,35kg

**NEW**

# OPTIMA D12



Serious. Solid. Impact.



Model	Stock	mm	in
Optima D12	Length of Pull	362	14,25
	Drop at Comb	40	1,57
	Drop at Heel	63,5	2,50

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver in white chrome finish. **Aluminum receiver available upon demand.**
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are proof pested.
- Available Barrel lengths: 22" / 55cm , 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm.
- 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



**Optima Choke Tubes**  
Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.



**OPTIMA D12-Black**  
Black chrome finish receiver version.

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima D12	12	3" / 76 mm Magnum	Extractor or Auto Ejector	Turkish Walnut	Rubber	Steel. (Aluminum also available) White or black chrome finish.	Black Chrome	28" / 71cm	Metal Bead Front Sight	Ventilated 7x7 mm	Single selective	MC5	45" / 115cm	7.2lbs / 3.27kg



# OPTIMA D12 Trap

**NEW**

Serious. Solid. Impact.



Model	Stock	mm	in
Optima D12-Trap	Length of Pull	375	14,80
	Drop at Comb	30	1,18
	Drop at Heel	40	1,57

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejectors.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Elevation adjustable comb
- Rubber recoil pad.
- Steel receiver in white chrome finish. **Aluminum receiver available upon demand.**

- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are proof tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm
- 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



**Optima Choke Tubes**  
Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima D12-Trap	12	3" / 76 mm Magnum	Auto Ejector	Turkish Walnut	Rubber	Steel. (Aluminum also available) White or black chrome finish.	Black Chrome	28" / 71cm	Fiber Optic Front Sight	Ventilated 7x7 mm	Single selective	MC5	45" / 115cm	8.3lbs / 3.76kg

# OPTIMA Silver Select



Serious. Solid. Impact.



- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected high class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.

- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL .
- Sling swivels (optional).

Model	Stock	mm	in
Optima Silver Select	Length of Pull	362	14 1/4
	Drop at Comb	40	1 9/16
	Drop at Heel	63.5	2 1/2



- 12 gauge, 3" / 76mm chamber over & under shotgun
- Single selective gold plated trigger
- Auto ejector or extractor system
- High grade Turkish walnut stock and forend with checkering.
- Rubber recoil pad
- Steel receiver with soft engraving and white nickel finish
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib

- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL
- Sling swivels (optional)

## OPTIMA Silver Trap

Model	Stock	mm	in
Optima Silver Trap	Length of Pull	362	14 1/4
	Drop at Comb	40	1 9/16
	Drop at Heel	63.5	2 1/2

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima Silver Select	12	3" / 76mm Magnum	Extractor or Auto Ejector	High Class Turkish Walnut with oil polish & checkering	TRIOPAD Butt System	Steel. White chrome finish	Black Chrome	28" / 71cm	Fiber optic front sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg
Optima Silver Trap	12	3" / 76mm Magnum	Extractor or Auto Ejector	High Grade Turkish Walnut with elevation adjustable cheek piece	Rubber	Steel. White chrome finish	Black Chrome	28" / 71cm	Fiber optic front sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg



# OPTIMA S12

Serious. Solid. Impact.



Model	Stock	mm	in
Optima S12	Length of Pull	362	14 1/4
	Drop at Comb	40	1 9/16
Optima B12	Drop at Heel	63.5	2 1/2

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver Finish	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima S12	12	3" / 76mm Magnum	Extractor or Auto Ejector	Turkish Walnut with checkering	Rubber	Steel. White chrome finish	Black Chrome	28" / 71cm	Metal Bead Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg



## OPTIMA B12



### OPTIMA Shotgun Case

Optima shotgun hard case is made of durable & infrangible polymer. Sold separately.



#### Optima Choke Tubes

Optima Silver Synthetic comes with 5 steel shot suitable inner chokes: F, IM, M, IC, CYL.

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver Finish	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima B12	12	3" / 76mm Magnum	Extractor or Auto Ejector	Turkish Walnut with checkering	Rubber	Steel. White chrome finish	Black Chrome	28" / 71cm	Metal Bead Front Sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg



# OPTIMA Silver Synthetic



Serious. Solid. Impact.



Model	Stock	mm	in
Optima Silver Synthetic	Length of Pull	362	14 1/4
	Drop at Comb	40	1 9/16
	Drop at Heel	63.5	2 1/2

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Advanced polymer stock with Adjustable Comb and advanced polymer fore-end.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof - Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



**Optima Choke Tubes**  
Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.



## OPTIMA Synthetic Slug

20"/51cm slug barrel version. Picatinny rail on lower barrel for flashlight or laser mounts.

Model	Gauge	Chamber	Unloading Mechanism	Stock	Recoil Pad	Receiver Finish	Barrel Finish	Barrel Length	Sight	Rib	Trigger	Chokes	Overall Length	Average Weight
Optima Silver Synthetic	12	3" / 76mm Magnum	Extractor or Auto Ejector	Advanced Polymer with Adjustable Comb	TRIOPAD Butt System	Steel. White chrome finish	Black Chrome	28" / 71cm	Fiber optic front sight	Ventilated 8mm	Single selective	MC5	45" / 115cm	7.7lbs / 3.5kg
Optima Synthetic Slug	12	3" / 76mm Magnum	Extractor or Auto Ejector	Advanced Polymer with Adjustable Comb	TRIOPAD Butt System	Steel. White chrome finish	Black Chrome	20" / 51cm	Fiber optic front sight	-	Single selective	MC5	37" / 94cm	7.0lbs / 3.2kg



Serious. Solid. Impact.

# OPTIMA Single Barrel Shotguns



## OPTIMA SB-W

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- Sling swivels.

Model	Type	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-W	Single Barrel, Break Action, With Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Turkish Walnut	Stiff Plastic	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" / 51 / 56 / 61 / 66 / 71 / 76cm	7mm width ventilated	Fixed Cylinder Choke	No Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs



## OPTIMA SB-P

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.

Model	Type	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-P	Single Barrel, Break Action, With Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Synthetic	Rubber	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" / 51 / 56 / 61 / 66 / 71 / 76cm	7mm width ventilated	Fixed Cylinder Choke	No Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs



## OPTIMA SB-WX

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun without hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- Sling swivels.

Model	Type	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-WX	Single Barrel, Break Action, Without Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Turkish Walnut	Stiff Plastic	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" / 51 / 56 / 61 / 66 / 71 / 76cm	7mm width ventilated	Fixed Cylinder Choke	Cross Button Trigger Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs



## OPTIMA SB-PX

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
- Capability of firing both 3" / 76mm and 2 3/4" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel,
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.

Model	Type	Gauge Options	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Lengths	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Average Weight
Optima SB-PX	Single Barrel, Break Action, Without Hammer	12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA)	3" / 76mm	Synthetic	Rubber	White chrome plated steel receiver	Black chrome finished Ni-Cr-Mo steel	20", 22", 24", 26", 28", 30" / 51 / 56 / 61 / 66 / 71 / 76cm	7mm width ventilated	Fixed Cylinder Choke	Cross Button Trigger Safety	1	Fixed Metal Bead	2.5kg / 5.5lbs

# ESCORT SHOTGUNS



Serious. Solid. Impact.

**HATSAN**  
**ARMS COMPANY**

Factory: Kemalpaşa O.S.B. Mahallesi, Ansızca Sanayi Sitesi No: 303, Kemalpaşa, 35730, İzmir - TURKEY

Office: Ansızca Koyu Sogutçuk Mevkii No: 2, Kemalpaşa, 35730, İzmir, TURKEY

Tel: +90 (232) 878 91 00 • Fax: +90 (232) 878 91 02 - 878 97 23

info@hatsan.com.tr

 facebook.com/hatsan.com.tr

 twitter.com/hatsan\_arms

 youtube.com/hatsanarms

 instagram.com/hatsan\_arms



[www.hatsan.com.tr](http://www.hatsan.com.tr)

[www.escortshotguns.com](http://www.escortshotguns.com)